| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------------|------|---------------------------------------------------------|---------------------------------------------------------|---------------------|---------|------------------|
| S34 | 632 | dqs with (high low) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 14:49 |
| S35 | 130 | dqs with (high low one zero) adj2 level | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2007/09/18 14:49 |
| S36 | 93 | dqs with (high low one zero) adj2 level with data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 14:50 |
| S 37 | 5 | dqs with (high low one zero) adj2 level near3 driv\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 14:52 |
| S38 | 94 | dqs with (high one) adj2 level | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 14:52 |
| S39 | 83 | dqs with (high one) adj2 level same data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 14:53 |
| S40 | . 15 | dqs with (high one) adj2 level same (detect\$3 sens\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 14:55 |
| S41 | 79 | S38 not S40 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 15:17 |
| S42 | 110 | dqs with defined | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 15:24 |
| S43 | 5 | dqs with defined adj2 state | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 15:23 |
| S44 | 1 | dqs with undefined adj2 state | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 15:23 |
| S45 | 5 | dqs same defined adj2 state | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 15:26 |

| S46 | 2 | dqs same undefined adj2 state | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 15:24 |
|------------|-----|-----------------------------------------------------------|---------------------------------------------------------|----|-----|------------------|
| 547 | 166 | dqs same standard | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 15:24 |
| S48 | 9 | dqs with defined with standard | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 15:24 |
| S49 | 3 | dqs same defined adj2 level | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/18 15:26 |
| S51 | 119 | gddr | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 09:37 |
| S52 | 8 | gddr same dqs | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 09:37 |
| S55 | 317 | strobe near3 (high one) adj2 level | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:27 |
| S56 | 13 | strobe near3 (high one) adj2 level with (inactive idl\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:32 |
| S57 | | strobe near3 undefined with (inactive idl\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:23 |
| S58 | 3 | dqs with ultrahigh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:15 |
| S59 | 49 | gddr adj III | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:19 |
| S60 | 91 | ddr adj III | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:19 |

| S61 | 3 | ddr adj III same dqs | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:20 |
|-----|-----|---------------------------------------------------------|---------------------------------------------------------|------|-----|------------------|
| S62 | 0 | strobe near3 undefined with ultrahigh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:21 |
| S63 | 3 | strobe with ultrahigh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2007/09/19 12:21 |
| S64 | 5 | strobe near3 undefined | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:23 |
| S65 | 363 | strobe near3 defined . | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:23 |
| S66 | 22 | strobe with defined with (inactive idl\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:24 |
| S67 | 0 | strobe near3 (high one) adj2 level same ddr | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:27 |
| S68 | 0 | strobe near3 (high one) adj2 level same ultrahigh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:27 |
| S69 | 2 | strobe near3 (high one) adj2 level same high adj2 speed | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:28 |
| S70 | 401 | strobe near3 (high one) same high adj2 speed | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:28 |
| S71 | 127 | strobe near3 (high one) same ddr | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:28 |
| S72 | 73 | strobe near3 (high one) with ddr | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:28 |

| S73 | 112 | strobe near3 (high one) with (inactive idl\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:32 |
|-----|-----|---------------------------------------------------------|---------------------------------------------------------|----|-----|------------------|
| S74 | 1 | strobe near3 (high one) with (inactive idl\$3) same ddr | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 12:33 |
| S75 | 81 | strobe near3 (high one) near5 (inactive idl\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/19 14:58 |

12/27/07 2:33:13 PM C:\Documents and Settings\tchen\My Documents\EAST\Workspaces\32710631.wsp Page 4